REPAIR/ RENOVATION OF REGISTRY OF DEEDS OFFICE

Justice Road, Brgy. Capoocan, Calbayog City

INDEX OF SHEETS

SHEET NO. 1 - TITLE PAGE

SHEET NO. 2 - INDEX OF SHEETS, GENERAL NOTES, LOCATION MAP

SUMMARY OF QUANTITIES

SHEET NO. 3 - FLOOR PLAN, ROOF PLAN

SHEET NO. 4 - CONCRETE SLAB DETAIL, FRONT ELEVATION, SECTION THRU "A"

LIGHTING OUTLET LAYOUT

SHEET NO. 5 -

SHEET NO. 6 - FRONT VIEW, MAIN ENTRANCE.

RIGHT SIDE VIEW, REAR VIEW

SHEET NO. 7 - RIGHT SIDE VIEW, LEFT SIDE VIEW

· GENERAL NOTES:

1.0 STANDARDS AND REFERENCES

THE FOLLOWING SHALL GOVERN THE DESIGN,
FABRICATION AND CONSTRUCTION OF THE PROJECT.

0.1 NATIONAL STRUCTURAL CODE OF THE PHILIPPINES

· (NSCP) VOL16TH EDITION

2.0 DESIGN CRITERIA

2.1 LOADINGS

A. DEAD LOAD
CONCRETE 23.56 KN/CU.M.
STEEL 75.93 KN/CU.M.

B. LIVE LOAD

C. WIND LOAD (NSCP 2010) D. SEISMIC LOAD (NSCP 2010)

3.8 FOUNDATION

3.1 ASSUMED SOIL BEARING CAPACITY SHALL

BE 96KPa (2,000 PSF)

3.1.1 IN CASE THE ACTUAL SOIL BEARING CAPACITY IS FOUND LESS THAN THE ASSUMED, 96 KPM, NOTIFY THE DIRECTOR, BUREAU OF DESIGN FOR PROPER REVISION OF FOUNDATION,

3.1.2 NO FOOTING SHALL REST ON FILL

3.1.3 BOTTOM OF FOOTING SHALL BE AT LEAST 1.00m.
BELOW NATURAL GRADE LINE

3.1.4 SOIL BEARING CAPACITY SHALL BE INCREASED BY 33% WHEN IN COMBINATION WITH SEISMIC OR WIND LOAD.

3.2 ALL COLUMN FOOTINGS SHALL REST ON 100mm THK LEAN CONCRETE.

3.3 EMBANKMENT FROM BORROW-SHALL BE PLACED IN LAYER AND EACH LAYER SHALL BE 200mm THK AND SHALL BE COMPACTED TO 95% MAXIMUM DRY DENSITY.

SHALL BE COMPACTED TO 95% MAXIMUM DRY DENSITY. WHERE LOOSE /SOFT MATERIAL IS ENCOUNTERED AT . DEPTH OF EMBEDMENT INDICATED, EXCAVATE TO FIRM LAYER AND REPLACE LOOSE/MATERIALS UNDERNIEATH THE FOOTING WITHIN THE FOOTING AREA PLUS 4 DEPTH OF SOFT MATERIAL ON ALL SIDES WITH SELECTED GRANULAR BACKFILL COMPACT SELECTED GRANULAR BACKFILL TO 85% MAXIMUM DRY DENSITY.

4.0 . MATERIALS

4.1 CONCRETE

4.1.1 CONCRETE COVER OVER REINFORCING BARS SHALL BE AS FOLLOWS:

A. FOOTINGS, FOOTING-TIE BEAM (CAST AGAINST EARTH) - 75mm B. BEAMS AND COLUMNS (TO STIRRUPS AND TIES) - 40mm

C. SIDE OF FOOTING-TIE BEAMS (CAST AGAINST FORMS)

D. SUSPENDED SLAB

4.1.2 BEFORE CONCRETE IS POURED, CHECK WITH ALL TRADES TO ENSURE PROPER PLACEMENT OF ALL OPENINGS, SLEEVES, CURBS, CONDUITS, ETC. RELATING TO THE WORK.

4.2 REINFORCING BARS

4.2.1 ALL REINFORCING BARS SHALL BE CLEAN OF RUST, GREASE OR OTHER MATERIALS THAT WILL IMPAIR BOND.

4.2.2 ALL REINFORCING BARS SHALL BE ACCURATELY AND SECURELY PLACED BEFORE POURING CONCRETE OR APPLYING MORTAR OR GROUT.

4.2.3 LAPPED SPLICES SHALL BE STAGGERED WHERE POSSIBLE

4.2.4 UNLESS OTHERWISE INDICATED, SPLICING OF REINFORCEMENT SHALL BE IN ACCORDANCE WITH ACL318M, EXCEPT THAT THE MINIMUM LAP SPLICE SHALL BE 40 8AR DIAMETER BUT NOT LESS THAN 800m2.

4.2.5 UNLESS SHOWN OTHERWISE ON PLANS, SPLICES SHALL BE AS FOLLOWS:

A. INTERMEDIATE BEAMS: TOP BARS SHALL BE SPLICED AT MIDSPAN.

AND BOTTOM BARS AT THE SUPPORT

B. BEAMS FRAMING TO COLUMNS: TOP BARS SHALL BE SPLICED AT MID-SPAN AND AND BOTTOM BARS SHALL NOT BE SPLICED WITHIN THE COLUMN OR WITHIN A DISTANCE OF TWICE THE MEMBER DEPTH FROM THE FACE OF THE COLUMN. THE SPLICED LENGTH SHALL NOT BE LESS THAN 1.4 TIMES THE DEVELOPMENT LENGTH (Ld) IN 4.2.8 BELOW BUT NOT LESS THAN 800mm.

C. SOLUMNS LAP SPUCES SHALL BE MADE WITHIN THE CENTER HALF OF HEIGHT AND THE SPLICE SHALL NOT BE LESS THAN 30 BAS DIAMETER. WELDING OR THE USE OF APPROVED MECHANICAL DEVICES MAY BE PERMITTED PROVIDED NOT MORE THAN ALTERNATE BARS ARE WELDED OR SPLICED AT ANY LEVEL AND THE MINIMUM VERTICAL DISTANCE BETWEEN TWO ADJACENT BAR SPLICES SHALL BE STORM.

4.2.5 UNLESS OTHERWISE INDICATED: ALL BEAMS TERMINATING AT A COLUMN SHALL HAVE TOP AND BOTTOM BARS EXTENDING TO THE FAR FACE OF THE COLUMN, TERMINATING IN A STANDARD 80 HOOK LENGTH OF ANCHORAGE SHALL NOT BE LESS THAN BOOMM.

4.2.7 SHOP DRAWING FOR REINFORCEMENT SHALL BE SUBMITTED FOR APPROVAL OF THE ENGINEER PRIOR TO FABRICATION AND INSTALLATION.

4.2.8 DEVELOPMENT LENGTH (LC) OF REINFORCING BARS SHALL BEAS FOLLOWS:

SIZE OF BARS DEVELOPMENT LENGTH

10 mm 170 mm

12 mm 220 mm

10"mm 170 mm 170 mm 120 mm 120 mm 220 mm 230 mm 380 mm 25 mm 650 mm


5.0 CONSTRUCTION JOINTS

- 20mm

5.1 CONSTRUCTION JOINT NOT INDICATED ON THE PLANS SHALL BE MADE SO AS TO LEAST IMPAIR THE STRENGTH OF THESTRUCTURE AND SHALL BE SUBJECT TO THE APPROVAL OF THE ENGINEER EXCEPT SLAB ON GRADE.

UNLESS SHOWN OTHERWISE, SLAB ON GRADE SHALL HAVE CONTROL JOINTS SPACED AT 800mm MAXIMUM CENTER TO CENTER.

3 BEAMS CONSTRUCTION JOINT SHALL BE LOCATED WITHIN THE MIDDLE THIRD OF THE SPAN, IT SHALL BE PROVIDED WITH 3 EXTRA STIRRUPS ★ 75mm O.C. EACH SIDE OF THE JOINT.





SUMMARY OF QUANTITIES


LOCATION MAP


ITEM NO.	DESCRIPTION .	UNIT	QUANTITY
PART A	PLAIN and RENFORCED CONCRETEWORKS		<u> </u>
903 (2)	Formworks and Falseworks (for One-Story Buildi	sq.m.	158.88
PART B	FINISHINGS AND OTHER CIVIL WORKS		1
1002 (27)	Plumbing Works	Lsum	1.00
1003 (1)	Fiber Cement Board on Metal Frame Ceiling	sq.m.	33,30
1007 (1)b	Aluminum Framed Glass Door	sq.m.	5.67
1010 (4)	Wooden Doors	Lsům	1.00
1012 (5)c	Tempered Glass Walls/Barri	sq.m.	2.88
1014	Prepainted Metal Sheets (Rib Type, Short Span)	sq.m.	69.78
1016(1)5	Liquid Waterproofing	sq.m.	92,80
1018 (1)	Glazed Tiles and Trims	sq.m.	64.56
1018 (2)	Unglazed Tiles	sq.m.	16,51
1021 (3)	Floor Topping · · ·	, sq.m.	92.80
1027 (1)	Cement Plaster Flnish	sq.m.	328,60
	Painting Works (Masonry/Concrete)	sq.m	738.00
	Painting Works (Wood)	sq.m	46.90
1042(1)	Stainless Steel Door and Frames (Roll-Up)	sq.m.	8.71
	PVC Doors and Frames	sq.m.	6.72
	ELECTRICAL WORKS .		-
	Conduits, Boxes & Fittings	Lsum	1.00
1101 (33)	Wires & Wiring Devices	Lsum	1,00
1103 (1)	Lighting Fixtures & Lamps .	L.sum	1.00
PART D	OTHER GENERAL REQUIREMENTS		
D.1	Project Billboard/Signboard	each	1.00
D,2	Occupational Safety and Health Program	Lsum	1,00
	Mobilization/Demobilization	Lsum	1.00


4














RIGHT SIDE VIEW

REAR VIEW

